



Satisfy Professional's Needs

Vacuum Cleaner
VC3210L, VC2510L, VC1310L

Wet & Dry Vacuum Cleaners approved for Dust Class L

GYUPPA!

Automatic
self-cleaning filter

Allows for:
high Suction Power
Easy filter Cleaning
Quiet Operation

VC3210L
Tank Capacity (Dry) :
32L


VC2510L
Tank Capacity (Dry) :
25L

VC1310L
Tank Capacity (Dry) :
13L

Constantly Strong Suction

Automatic self-cleaning filter

obtained by Triple filter structure composed of:
Powder filter + Damper + Prefilter



When the power is switched on, Prefilter collapses into itself to compress Damper, and fits closely over Damper and Powder filter.

When the power is switched off, Damper expands back to its original size and shakes off dust from Prefilter automatically with its expanding power.

Powder filter
Damper
Prefilter



Allows for:

Constantly high suction power

Easy filter cleaning simply by tapping dust off of Prefilter

Quiet cleaning because Damper and Prefilter make no noise

Large capacity of on-board storage

Convenient for compact storage of:



Hose

Front cuffs

Power supply cord

Pipes and Nozzles

Pipe holder :
VC1310L only

Simple Connection

Vacuum cleaners (VC3210L, VC2510L, VC1310L) turn on or off automatically when connected power tool is turned on or off.

Before connecting make sure to observe the maximum connected loads for the appliance socket (Refer to the instruction manual.)



Variable suction power control by dial

Suction power is variably adjustable to suit application or continuous rating input of connected power tool.



Convenient for temporarily resting power tool

Dustless Cutter is sold separately.

VC2510L



Compatible with commercially available plastic bags, allowing for:

- Quick and easy dust disposal
- Lower-running cost compared with paper dust bag



Caster stopper

prevent the vacuum cleaner from moving unintentionally during use with power tool or intermission of operation.



Max. air flow:

2.0m³/min.
with Hose complete 28-3.5

3.5m³/min.
with Hose complete 38-2.5
(option)

Combination Hammer HR2811FT and Dust extractor attachment are sold separately.

For both Wet & Dry vacuum cleaning

Simple connection to Makita power tools

These new vacuum cleaners can be connected to a variety of Makita power tools simply by attaching only an appropriate Front cuffs to the power tool end of hose.
(Note:Some power tools additionally need Joint Adapter.)



Variable suction power control by dial

Suction power is variably adjustable to suit application or continuous rating input of connected power tool.

Flat top design

allows double stacked for stable and space saving in storage.

Durable latch

of plate steel with elastomer lock lever for easy locking/unlocking operation

Connecting joint turns :

no hose twisting And easy to connect

Compatible with commercially available plastic bags, allowing for:

- Quick and easy dust disposal
- Lower-running cost compared with paper dust bag

Durable Stainless steel tank

Model VC3210L only

Large bumper

protects wall and furniture surfaces from scratches/damages.

Photo: VC3210L

Caster stopper

on the front caster of VC3210L/*X1
on the two rear casters of VC1310L/*X1, VC2510L/*X1

*with cleaning set

- Hose complete 38-2.5
- Straight pipe
- Bending pipe
- Nozzle assembly
- Corner nozzle



Tank capacity

	VC3210L	VC2510L	VC1310L
Wet	27L	14L	7L
Dry	32L	25L	13L



Wall Chaser SG1250 and Vacuum Cleaner VC2510L

Vacuum Cleaner	VC3210L, VC2510L, VC1310L			
	VC3210L	VC2510L	VC1310L	
Variable Speed	1,050W	1,050W	1,050W	
Revolving Hose	Continuous rating Input	1,050W	1,050W	
	Max. air flow with Hose complete 28-3.5	2.0m ³ / min	2.0m ³ / min	2.0m ³ / min
Static Free Hose	with Hose complete 38-2.5	3.5m ³ / min	3.5m ³ / min	3.5m ³ / min
	Max. sealed suction	22.0kPa	22.0kPa	22.0kPa
Stainless Tank (VC3210C)	Tank capacity Wet :	27L	14L	7L
	Dust :	32L	25L	13L
	Dimensions (L x W x H)	552 x 398 x 685mm (21-3/4" x 15-5/8" x 27")	432 x 416 x 451mm (17" x 16-3/8" x 17-3/4")	366 x 334 x 420mm (14-3/8" x 13-1/8" x 16-1/2")
	Net weight*	14.5kg (32.0lbs)	10.5kg (23.2lbs)	9.6kg (21.2lbs)
	Power supply cord	5.0m (16.4ft)	5.0m (16.4ft)	5.0m (16.4ft)
Standard Equipment Hose Complete 28-3.5 (with Front Cuffs 38), Holder 10-33, Front Cuffs 22, Front Cuffs 24				

*weight according to EPTA-Procedure 01/2003

Items of standard equipment and specifications may vary by country or area.

Makita Corporation

3-11-8 Sumiyoshi-cho, Anjo, Aichi, 446-8502 Japan

PRINTED IN JAPAN BB-AE