



A world's leading manufacturer of power tools

Double Insulation

Soft Start feature

Variable Speed

Dust Collecting

Hook & Loop

Carrying Case

Random Orbit Sander

150 mm Model BO6040

Three tools in one for finish sanding, coarse sanding and polishing. Makita offers the best versatile sander Model BO6040 for the professionals.



NEW



A world's leading manufacturer of power tools

High sanding performance and versatility thanks to



1 2 mode selection for versatile sanding and even polishing

Mode change can be made in a second by simply turning the change lever.

- Eccentric mode for finish sanding




- Eccentric / Rotation mode for coarse sanding and polishing.



Very low vibration and noise

Makita superior technology makes it possible to reduce the vibration and noise dra... that of the competitor's sander. For instance, the vibration level of BO6040 is kept... sander. As to the noise level, 2 units of "F" 's sanders equal to 1 unit of our BO60...



2. Hose can be connected to Vacuum Cleaner



For a clean working condition, the vacuum hose can be connected to the vacuum cleaner. The diameter of nozzle is the same as that of Model BO5020.

3. Hook-and-Loop



The position of hole for dust col... FESTO and BOSCH. So the B... sanding discs as well as Makita...

a larger Orbit diameter of 5.5 mm and the newly added Rotary /Eccentric Mode.

Level

Automatically keeping the sanding performance higher than that of the competitor F's 40.



Durable Cord Guard

More durable against disconnection than ever, due to the flexible and elastic rubber cord guard.

Low Tool Height for More Efficient Operation



Making the tool height lower for outstanding maneuverability.

Backing Pad



Selection is exactly the same as the O6040 can be used with their genuine discs.

4. Electronic Controller and Speed Control Dial



Even in heavy-duty work, you can obtain a constant speed for high sanding performance. With Speed Control Dial, you can select the optimum rotating speed to suit various work pieces. Soft-start feature will also assure a smooth and comfortable start.

5. Easy Palm-gripping makes operation comfortable







Keeping the vibration level very low assures the fatigue-less operation.

Variety of Accessories

Many Makita genuine accessories are now available. Please see in the table of the next page.

Specifications

Random Orbit Sander

-  Double Insulation
-  Soft Start
-  Variable Speed
-  Dust Collecting
-  Hook & Loop
-  Carrying Case

Pad diameter	150 mm (6")
Abrasive disc diameter	150 mm (6")
Continuous rating	
Input	750 W
Orbits per minute (min ⁻¹)	1,600 – 5,800
Orbit diameter	5.5 mm
Sanding plate speed (min ⁻¹)	180 – 670
Sanding stroke rate (min ⁻¹)	3,200 – 11,600
Tool height	132 mm (5-3/16")
Overall length	316 mm (12-1/2")
Net weight	2.7 kg (5.9 lbs)
Power supply cord	2.5 m (8.2 ft.)

Standard equipment

Random Orbit Sander

	Part No.		Part No.
Abrasive Disc (Dia 150 mm, Grit 120) 1 PC.	794610-0	Plastic Carrying Case	824591-5
Wrench holder 5.6	410047-0	Rubber Pad (Soft)	794605-3
Hex Wrench 6	783204-6	Joint (For European countries only)	417408-5

Optional accessories


Random Orbit Sander

Abrasive disc
for woods, metals, and plastic
hook & loop type
(10 pcs./set)



Grit	Disc diameter	Part No.
40	150 mm	794607-9
60		794608-7
80		794609-5
120		794610-0
180		794611-8
240		794612-6
400	794613-4	

Sanding Cross
(For finishing work)
hook & loop type
(5 pcs./set)



Grit	Disc diameter	Part No.
100	150 mm	794614-2
200		794615-0
800		794616-8

Wool Pad
for high gloss polishing
hook & loop type



Disc diameter	Part No.
150 mm	794619-2

Sponge Pad
For applying wax, polishing-
up weathered paint work
hook & loop type




Disc diameter	Part No.
150 mm	794617-6

Felt Pad
for removing wax
hook & loop type



Disc diameter	Part No.
150 mm	794618-4

Rubber pad
Use with pre-punched abrasive disc.



Type	Part No.
Hard (For coarse sanding)	794604-5
Soft (For general sanding)	794605-3
Super Soft (For fine sanding)	794606-1

Grip



Part No.	152490-4
----------	----------