

# Wall Chaser

# 125 mm (5") Model SG1250






# Makita Wall Chaser offers the most

## Performance Data




### **Cutting width**


Adjustable cutting width in 9 stage by inserting spacers of 3 mm (1/8") and 6 mm (1/4") in thickness.



Cutting width	Q'ty of 6 mm Q'ty of 3 m spacer spacer		
6 mm		1 pc.	
9 mm	1 pc.		
12 mm	1 pc.	1 pc.	
15 mm	2 pcs.		
18 mm	2 pcs.	1 pc.	
21 mm	3 pcs.		
24 mm	3 pcs.	1 pc.	
27 mm	4 pcs.		
30 mm	4 pcs.	1 pc.	



# efficient cutting of clean edged grooves for channels.



## 3. Easy blade change




For blade change, simply loosen a bolt.

SG1250

Wall chaser 125 mm (5")



Side grip 36 (152490-4) can be attached.



#### 5. Front cover



Conveniently located front cover efficiently prevents the dust from spreading, in every cutting depth.





Aluminum blade case, designed for easy adjusting of cutting depth.

#### Electronic features

- Soft start for suppressing shock at start-ups
- Auto shut-off when overloaded
- Speed control

#### 7. Wrench holder



Hex wrench conveniently stored.

# Specifications

#### Wall chaser

Blade diameter 125 mm (5")
Cutting depth 0 - 30 mm
Possible adjustment of

Cutting width
Continuous rating

Input 1,400 W


No load speed 9,000 min<sup>-1</sup> (rpm)

Overall length 346 mm (13-5/8")

Net weight 3.9 kg (8.6 lbs)

6 - 30 mm

Specifications may differ from country to country.



# Standard equipment


#### Wall chase

	Part No.		Part No.
Diamond wheel (2 pcs.)	A-80438	Lock nut wrench	782407-9
Hex wrench	783204-6	Plastic carring case	824709-8

Note: The standard equipments may differ from country to country.

# **Optional Accessories**

#### Wall chaser



\* Standard equipment